

Eng Phys / CEDT Workplace Inspection Form

Inspection Date:

Inspected by:

Room:

Supervisor:

1. General

1.1 - Basic	Ok	Flag	NA	Comments	Follow-up
door safety sheet (hazards, contacts)					
MSDS (present, current)					
fire extinguishers (charged, inspected)					
first aid kit (stocked)					
shower station (working, inspected)					
eye wash station (working)					
Other					

1.2 - Housekeeping					
benches					
trip hazards (present)					
shelves (secure)					
refrigerators (food only/chem only)					
Other					

1.3 - Environment					
Ventilation (flows in, flows out)					
Temperature ($\geq 18^{\circ}\text{C}$)					
Lighting					
Other					

2. Chemicals

2.1 - Protective/Safety Equipment					
Personal (eye, skin)					
Lab safety (spill kit)					
Fume hood (air flow, sash, inspected)					
Other					

2.2 - Flammables					
Storage (suitable, utilized)					
Labels (clear, proper, WHMIS)					
Compatibility (compatible)					
Other					

2.3 - Acids/Bases					
Acid storage (suitable, utilized)					
Acid labels (clear, proper, WHMIS)					
Acid compatibility (no incompatibles)					
Base storage (suitable, utilized)					
Base labels (clear, proper, WHMIS)					
Base compatibility (no incompatibles)					
Other					

